CLAIMS

 A method of producing a plant which shows herbicide resistance, said method comprising:

B Co

- (i) applying said herbicide to a population of plants, which show segregating resistance to said herbicide in their pollen, such application being at an advanced vegetative state before flowering; wherein the applied herbicide effectively inhibits the pollen lacking the herbicide resistance; such that during flowering such pollen from said plants fertilize the female plant parts with said pollen;
- (ii) obtaining herbicide resistance progeny therefrom as seeds and optionally as plants.
- 2. A method according to claim 1 wherein the herbicide resistant plants are glyphosate resistant, and the herbicide applied in stage (i) is glyphosate.
- 3. A method according to claim 1 wherein the plants comprise crop plants.
- 4. A method according to claim 3 wherein the crop plants comprise corn.
- 5. A method according to claim 4 wherein in step (i), the herbicide is applied at the V5 stage of growth or later.
- 6. A method according to claim 1 wherein the progeny comprise herbicide resistant hybrid seed.
- 7. A method according claim 1 wherein the plants contain a further desired transgene.

^{09/100,516}

- 8. A method according to claim 7 wherein the further transgene is a gene which encodes a quality trait which is deliverable by a pollinator.
- 9. A method according to claim 8 wherein the quality trait comprises a high oil system.
- 10. A method according to claim 7 wherein the transgene is a fertility/sterility controlling gene.
- 11. A method according according to claim 10 wherein said fertility/sterility controlling gene is a male sterility gene.
- 21. A method according to claim 1 wherein said progeny comprise seed.
- 22. A method according to claim 1 wherein said progeny comprise inbred seed.
- 23. A method according to claim 2 wherein said progeny comprise glyphosate resistant hybrid seed.

^{09/100,516}